## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	SEP 1 2 1985
Returned to applicant for correction	OCT 2 1985
Corrected application filed	OCT 1 6 1985
Map filed	OCT 2 4 1985
Labuda, President Washo	es Property Owners Association, John e County Reno City or Town
•	., hereby make application for permission to appropriate the public
•	ated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give name	es of members.)Southwest Pines Property
Owner's Association	
=	· · · · · · · · · · · · · · · · · · ·
1. The source of the proposed appropriation i	s underground Name of stream, lake, spring, underground or other source
·	
2. The amount of water applied for is	O. 237 (171.7 AF/YR) second-feet One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of ac	re-feet
3. The water to be used forQuasi.M	Innicipal  power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:	power, mining, manufacturing, domestic, of which tast, better fault to one tast.
(a) Irrigation, state number of acres to be in	rrigated
(b) Stockwater, state number and kinds of	animals to be watered
(c) Other use (describe fully under "No. 12.	. Remarks"
(d) Power:	
(1) Horsepower developed	<u></u>
•	
	at the following point SE 1 of the SE 1. Section 4.  Describe as being within a 40-acre subdivision of public
•	Specifically from whence the East \(\frac{1}{2}\) If on unsurveyed land, it should be so stated.  4. hears N. 27°01'07'' E. a. distance of
1.769.73 feet.	
Describe by	SW of the NE ; SE of the NE ; NE of the NE of the legal subdivision. If on unsurveyed land, it should be so stated.
	all within Section 10, T.17N., R.19E.,
•	
7. Use will begin about January 1 Month and Day	and end about December 31, of each year.  Month and Day
	provisions of NRS 535.010 you may be required to submit plans and
	works.) drilled well with pump and motor, State manner in which water is to be diverted, i.e. diversion structure, ditches and
	stem
, w	.00

10.	Estimated time required to construct works3years
11.	Estimated time required to complete the application of water to beneficial use8years
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	Current zoning allows for 85 parcels within this subdivision and
	assessment district. 171.7 AF/YR allows for 1800 gpd per parcel.
	By s/ John Labuda
Cor	1420 Cordone Ave. npared <u>jm/</u> dn Reno, Nevada 89502
Prot	ested
	DENIAL OF STATE ENGINEER
	deny
follo	This is to certify that I have examined the foregoing application, and do hereby ***** the same, subject to the owing limitations and conditions:
St: gra	Application 49387 is hereby denied on the grounds that the plicants have not submitted the information requested by the ate Engineer's Office, and that without this information, anting of said application would be detrimental to the public terest.
	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second
Wor	k must be prosecuted with reasonable diligence and be completed on or before
Proc	of of completion of work shall be filed on or before
App	lication of water to beneficial use shall be made on or before
Proc	of of the application of water to beneficial use shall be filed on or before
Мар	in support of proof of beneficial use shall be filed on or before
Com	pletion of work filed
Proo	f of beneficial use filed
Cultu	aral map filed
Certi	ficate No
~ S	V State Digition